

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of: **Naoki IIJIMA et al.**

Group Art Unit: **3746**

Serial Number: **10/524,688**

Examiner: **Not yet assigned**

Filed: **March 9, 2006**

Confirmation Number: **9126**

For: **VACUUM PUMP AND METHOD OF STARTING THE SAME**

Attorney Docket Number: **052078**

Customer Number: **38834**

SECOND REQUEST FOR CORRECTED FILING RECEIPT

Mail Stop: Missing Parts

Commissioner for Patents

P. O. Box 1450

Alexandria, VA 22313-1450

September 12, 2006

Sir:


Please supply the undersigned attorney with a corrected filing receipt for the above-identified application. The undersigned also respectfully requests that the Patent and Trademark Office records be amended to reflect the correction.

In reviewing the Official Filing Receipt, we noted an error in the **Second Inventor's Information** and also we noted an error in the **Assignee's Information**. The Second Inventor's Information should read **--Jiro WATANABE, Tokyo, JAPAN--**. And please delete **--Jiro WATANABE, Tokyo, JAPAN--** from the Assignee's Information. A **Supplemental Application Data Sheet** is enclosed which indicates the correct information.

Application No. 10/524,688
September 12, 2006
Page 2

If any fees are required in connection with this paper, please charge Deposit Account No.
50-2866.

Respectfully submitted,
WESTERMAN, HATTORI, DANIELS & ADRIAN, LLP



Stephen G. Adrian
Attorney for Applicants
Registration No. 32,878
Telephone: (202) 822-1100
Facsimile: (202) 822-1111

SGA/if
Enclosures: Supplemental Application Data Sheet